

## **Product information**

## 71 72 610

## **Bolt Cutter**



- cutting capacity up to 48 HRC hardness
- robust cutting edges are additionally induction hardened, cutting-edge hardness approx. 62 HRC
- forged-in stopper with comfortable shock- absorber
- good access due to very flat construction of head and joint area
- · ergonomically angled handles to minimise effort
- sturdy non-slip two-colour dual component handle sleeves
- precise adjustment (12 positions) by eccentric bolt
- high cutting performance with minimum effort due to optimum coordination of the cutting edge angle and transmission ratio
- bolted cutter head, replaceable
- joint: special tool steel, forged
- handles: steel tube, powder-coated
- blade: chrome vanadium heavy-duty steel, forged, multi stage oilhardened

| Allgemein   |                            |
|-------------|----------------------------|
| Article No. | 71 72 610                  |
| EAN         | 4003773066767              |
| Head        | grey atramentized          |
| Handles     | with multi-component grips |
| weight      | 2,600 g                    |
| Dimensions  | 610 x 130 x 34 mm          |
| A.// !! /   |                            |

| <b>Technische Attribute</b> |        |
|-----------------------------|--------|
| HRC 19                      | Ø 9 mm |
| HRC 48                      | Ø 7 mm |
| HRC 40                      | Ø 8 mm |
| Cutting edge length mm      | 34 mm  |
| Head thickness              | 33 mm  |

| Klassifikation |            |
|----------------|------------|
| eCl@ss 5.1.4   | 21040302   |
| ETIM 5.0       | EC002689   |
| ETIM 6.0       | EC002689   |
| proficl@ss 6.0 | AAC440c002 |

technical change and errors excepted