

## **Product information**

## 77 32 120 H ESD

## **Electronics Diagonal Cutter with carbide cutting edges ESD**

DIN ISO 9654 DIN EN 61 340-5



- · electrically discharging handles dissipative
- sturdy, zero-backlash box joint
- for extreme demands on cutting pliers caused by hard or tough materials, e.g. piano, nickel, tungsten and diode wire, such as those used more frequently in the electronics and aerospace industries
- · always the right cutting tool, even with the hardest material
- precision carbide metal cutting edges soldered into forged blanks
- hardness of the carbide cutting edges 80 83 HRC
- pliers with carbide metal cutting edges have a substantially longer service life than such with conventional cutting edges
- constantly reliable cutting results due to the avoidance of cutter deformations
- high cost saving due to longer service life of the pliers
- pointed head with chamfer
- with small bevel

| Allgemein   |                            |
|-------------|----------------------------|
| Article No. | 77 32 120 H ESD            |
| EAN         | 4003773075820              |
| Head        | mirror polished            |
| Handles     | with multi-component grips |
| weight      | 95 g                       |
| Dimensions  | 120 x 50 x 19 mm           |

| Technische Attribute                           |          |
|--|----------|
| Cutting capacities medium hard wire (diameter) | Ø 1.0    |
| Cutting capacities hard wire (diameter)        | Ø 0.6    |
| Cutting capacities soft wire (diameter)        | Ø 1.6 mm |
|  | 14 mm    |
|  | 7 mm     |
| Head width                                     | 11 mm    |
| ESD  | yes      |

| Klassifikation |            |
|----------------|------------|
| eCl@ss 5.1.4   | 21040302   |
| ETIM 5.0       | EC000165   |
| ETIM 6.0       | EC000165   |
| proficl@ss 6.0 | AAA949c004 |

technical change and errors excepted